

JAN 19 2006

Intellectual Property Department  
170 Wood Avenue South  
Iselin, New Jersey 08830  
Tel: 732-321-3023  
Fax: 732-321-3030  
Email: Alexander.burke@siemens.com



**SIEMENS****Fax**

<b>To:</b>	Examiner: Thong H. Vu	<b>From:</b>	Alexander J. Burke
<b>Fax:</b>	571-273-8300	<b>Pages:</b>	21
<b>Phone:</b>	571-272-3904	<b>Date:</b>	January 19, 2006
<b>Re:</b>	Application of: Barry Royer Serial No. 09/817,321 Art Unit: 2142		

IF YOU DO NOT RECEIVE ALL OF THIS TELEFAX IN GOOD ORDER,

PLEASE CALL: Christine Briscoe at 732-321-3018Attached is the following: Response to Rejection 20 pp

For Application No.: 09/817,321  
Filing Date: March 26, 2001  
First Named Inventor: Barry Lynn Royer  
Group Art Unit: 2142  
Attorney Docket: 2001P07411US01

<b>CERTIFICATE OF TRANSMISSION UNDER 37 CFR 1.8</b>	
I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office	
	
Alexander J. Burke Reg. No. 40,425	Date

**BEST AVAILABLE COPY**

Ser. No. 09/817,321

EXAMINING  
GROUP (2142)  
01P07411US

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : B. Royer

**RECEIVED  
CENTRAL FAX CENTER**

Serial No. : 09/817,321

JAN 19 2006

Filed : March 26, 2001

For : A SYSTEM AND USER INTERFACE SUPPORTING  
CONCURRENT APPLICATION OPERATION AND  
INTEROPERABILITY

Examiner : Thong H. Vu

Art Unit : 2142

**Response to Rejection**Hon. Assistant Commissioner of Patents  
Washington, D.C. 20231

Sir:

In response to the Office Action dated October 25, 2005, please amend  
the above identified application as follows.

Please charge any fee associated with this response to deposit account  
19-2179.

Please consider the enclosed remarks.